

ADDENDUM NO. 1

December 14, 2023

This Addendum contains changes to the requirements of the Contract Documents and Specifications. Such changes are to be incorporated into the Construction Documents and shall apply to the work with the same meaning and force as if they had been included in the original document. Wherever this Addendum modifies a portion of a paragraph of the specifications or a portion of any Drawing, the remainder of the Paragraph or Drawing shall remain in force.

NOTE: Provisions of all Contract Documents apply.

Item 1. INSTRUCTIONS TO BIDDERS, 3. METHOD OF SUBMISSION, b

DELETE in its entirety.

- b. Proposals shall be delivered to the Owner at the address listed above not later than 2:00 PM on January 3, 2024.

REPLACE with:

- b. Proposals shall be delivered to the Owner at the address listed above not later than **2:00 PM on January 18, 2024.**

Please also note the following dates:

January 2, 2024: Last day for RFI's

January 9, 2024: Final Addendum due.

Item 2. Section 01 11 00 SUMMARY OF WORK, A. Work to be Done, 1

ADD:

- f. The two elevator phases are to occur sequentially as coordinated with Cornell. Where work of these phases is not completed by Summer 2025, work will need to occur concurrently with the passenger elevator replacement phase for Riley-Robb Hall requiring two crews to be working simultaneously, one crew within each facility.

Item 3. Section 01 11 00 SUMMARY OF WORK, A. Work to be Done, 2

ADD:

- f. This elevator phase to start and be completed within the 2025 summer break as coordinated with Cornell, Work of this phase may occur concurrently with the passenger elevator replacement phases for Morrison Hall requiring two crews to be working simultaneously, one crew within each facility.

- Item 4. Section 14 21 00 Traction Elevators Morr, 1.11 WORK COVERED BY THIS SECTION, A.7

DELETE in its entirety.

7. Refurbish hoistway doors.

REPLACE with:

7. **Provide** hoistway doors.

- Item 5. Section 14 21 00 Traction Elevators Morr, 1.14 GENERAL CHARACTERISTICS OF EXISTING ELEVATOR, A.2. e

DELETE in its entirety.

- e. 3000 lbs

REPLACE with:

- e. **4000 lbs**

- Item 6. Section 14 22 00 Traction Elevators - Riley Robb Hall, 1.11 WORK COVERED BY THIS SECTION, A, 7

DELETE in its entirety.

7. Refurbish hoistway doors.

REPLACE with:

7. **Provide** hoistway doors.

*******END OF ADDENDUM*******