

BID ADDENDUM NO.2

PROJECT: CANISTEO GREENWOOD CSD

2019 CAPITAL IMPROVEMENT PROJECT PHASE 2

84 Greenwood Street, Canisteo New York 14823

LABELLA PROJECT NO: 2190709 PH06

DATE: 3/25/2021

SED PROJECT NO'S:

Canisteo High School	SED#57-15-02-06-0-001-007
Canisteo Elementary School	SED#57-15-02-06-0-002-006
Canisteo Bus Garage	SED#57-15-02-06-5-004-004

Include this Addendum as part of the Contract Documents. It supplements portions of the original specifications/project manual drawings, the extent of which shall remain, except as revised herein:

BY:  3/25/21 _____

Troy Williams, AIA
LABELLA ASSOCIATES, D.P.C
300 State Street, Suite 201
Rochester, NY 14614
(585) 454-6110
(585) 454-3066 Fax
E-Mail: twilliams@labellapc.com

This Addendum contains 24 pages including the Enclosures listed below:

ENCLOSURES:

Paper Work:



Specifications: 001100, 004160, 011215A, 101419

Drawings:

Sketches: SKA-04, SKA-05

TO THE PAPERWORK:

TO THE SPECIFICATION:

1. 001100 – INVITATION TO BIDDERS
 - a. REPLACE section in entirety.
 - i. Zoom meeting information added
2. 004110 – BID FORM – CONTRACT 201 – GENERAL CONSTRUCTION WORK
 - a. DELETE: Article 1.7 Paragraph B (reference to Asphalt paving unit price)
 - b. Revise: Article 1.7 Paragraph A, Unit Price No GC-1 to read Unit Price No. GC-201-1
 - A. Unit Price No. GC-201-1 – Patching and Painting of Existing Plaster or Drywall Surfaces per Specification Sections _____ and _____. This unit is per SF. \$ _____
3. 004160 – BID FORM – CONTRACT 205 – ASBESTOS ABATEMENT WORK
 - a. REPLACE section in entirety.
 - i. (1.8 METHOD OF AWARD – ASBESTOS ABATMENT WORK - CONTRACT 205)
Has been added for clarification to the Best Value criteria.
4. 011215A – CGCSD Schedule for Bid
 - a. REPLACE section in entirety. (Revisions Clouded)
5. 012100 – ALLOWANCES
 - a. REVISE: Article 3.3 Paragraph D Allowance No. MC-203.1 to \$90,000.



D. Allowance No. MC-203.1: Lump-Sum Allowance: Mechanical Contractor include the sum of \$90,000.00 to be utilized for all Instrumentation and Controls for HVAC work described in specification section 230900. Includes low voltage temperature control wiring associated with all other HVAC work. Work as directed by Owner, Construction Manager, and LaBella Associates.

1. This allowance includes material cost, receiving, handling, and installation and Contractor overhead and profit.
 2. Coordinate quantity allowance adjustment with corresponding unit-price requirements in Division 01 Section "Unit Prices."
6. 101419 – Dimensional Letter Signage
- a. ADD: section.
 - i. See attached interior signage legend SKA-05 and interior signage schedule SKA-04.

TO THE DRAWINGS:

REQUEST FOR INFORMATION RFI'S:

RFI-002

1. GC-201 Bid Form (Spec Section 004110) lists Alternate GC-01. Do not see where any of the Arch. Sht's Identify an Alternate. That Abatement Drawings (HS H125) show the removal of gyp in spaces 105, 106A, 106M, & 107 are shown as Alternate #1. Should work shown in Details 3 & 4 on Sheet HS A-106 in the corresponding spaces be designated as Alternate #1 work?
2. GC-201 Bid Form (Spec Section 004110) lists a Unit Price GC-2 for Asphalt. This Unit Price isn't listed in Spec Section "012200 Unit Prices" and there isn't any paving shown in this phase. Should the unit price be deleted from the GC-201 Bid Form?

Response:

1. No GC Alternates. Work shown on HS- H125 fall under the Abatement Contractor scope of work.
2. Remove reference to unit price for Asphalt from the Bid Form .



RFI-007

1. Please refer to drawing HS H-125; All work on this drawing is shown as Alternate No. 1. Please refer to Contract 205 Bid forms: There are no spaces for alternate pricing. Please refer to Spec Section 012300 Alternates; This section states "no alternates".

Response:

1. Remove reference of Alternate No. 1 from HS H-125.

RFI-008

- a. Sht. A-016: Toilet/Sink Fixtures: The fixtures are not shown or noted as being removed, but the walls are being demo'd and they aren't shown as remaining on the New Work plans. Are the fixtures being removed? If so, Are they by GC, Abatement, Plumbing Prime?
- b. Sht. A-016: Several Doors are dashed as being removed, but they are not noted as such (Demo Note #1). Are these to be removed by the GC?
- c. Spec. Section 125000 – Office Furniture: Is this in the GC scope or will this be Owner Purchased/Contractor Installed?

Response:

- a. Plumbing fixtures demo by Plumbing Contractor shown on HS PD101.
- b. Existing doors at openings 100D1 and 100B to be removed by GC, Frame to remain and be painted, primed and prepped for certification.
- c. Office Furniture specified in section 125000 to be provided and installed by the General Contractor.

RFI-009

- a. Please verify the wireless access points on HS-E-101 are provided by the owner.
- b. Please verify that the EC scope on this project is to include disconnect/extend/reconnect for all rooftop equipment as well as lightning protection on the roofing plans?

Response:

- a. Yes, WAP provided by owner per Addendum #1
 - a. Yes EC to disconnect, extend, and re-connect rooftop equipment including lightning protection to facilitate mechanical work at the elementary school.



RFI-010

Please Clarify:

a. Spec. Section 101400 – Interior Signage:

- The specs call for only melamine plastic laminate plaques, but there is apparently 4" & 6" high "dimensional Letter Signage" shown on Elevation #06, Sht. HS A-414. There is no spec for dimensional letter signage.
- I can find no melamine plastic laminate signage schedule or quantities anywhere in the spec or on the drawings.

b. Drawings HS A-013, HS A-014, HS A-104, HS A-107, HS A-505, & HS A-506:

- Please confirm that all work shown on these plans, including wood blocking and masonry removal & repair, is wholly within the roofing contract scope of work and that no GC/General Trades work is included on these sheets.

c. Drawing HS I-105/Detail #3 – Third Floor Finish Plan:

- There appears to be an orphan keynote #7 in the middle of Space 300 – Library Study. Keynote #7 refers to cubicle curtains, which are not indicated in the Library Study Space.

Response:

- a. Dimensional letter signage specification, interior signage legend SKA-05 and interior signage schedule SKA-04 are provided in Addendum #2.
- b. Scope shown on Drawings HS A-013, HS A-014, HS A-104, HS A-107, HS A-505, & HS A-506: falls under the Roofing Contract.
- c. Remove keynote 7 from Library Study 300 shown on I-105/ Detail 3

End of Addendum #2

INVITATION TO BIDDERS

BID OPENING

Sealed Proposals for the following project

CANISTEO-GREENWOOD CENTRAL SCHOOL DISTRICT 2018 CAPITAL IMPROVEMENTS PROJECT PHASE 2

will be received at the Canisteo-Greenwood Central School District, High School Main Lobby, 84 Greenwood Street, Canisteo, New York 14823 on March 30, 2021 until 3:30 p.m., at which time they will be publicly opened and read in the High School Board Room.

All Requests for Information (RFI) must be received no later than 12:00 noon on Thursday March 25, 2021. Any RFI received after this time will receive no response.

Bids delivered in person must be brought to the Main Entrance and personnel will be Screened for Temperature. Masks will be worn at all times. Minimum 6' Distancing will be followed at all times.

Bids must be made in writing on the forms furnished.

Bids can be mailed or delivered to:
Canisteo Greenwood Central School District
District Office
84 Greenwood Street
Canisteo, New York 14823

Bid Proposals received after 3:30p.m., March 30, 2021 will be returned to the bidder unopened.

Join Zoom Meeting
<https://leCHASE.zoom.us/j/5564241681>

Meeting ID: 556 424 1681
One tap mobile
+16468769923,,5564241681# US (New York)
+13126266799,,5564241681# US (Chicago)

Dial by your location
+1 646 876 9923 US (New York)
+1 312 626 6799 US (Chicago)
+1 301 715 8592 US (Washington DC)
+1 253 215 8782 US (Tacoma)
+1 346 248 7799 US (Houston)
+1 669 900 6833 US (San Jose)

Meeting ID: 556 424 1681

Find your local number: <https://leCHASE.zoom.us/u/abl7ZDer40>

CONTRACT TYPE

This project will proceed under multiple prime contracts, consisting of:

- Contract 201 – General Construction Work (GC)
- Contract 202 – Plumbing Work (PC)
- Contract 203 – Mechanical Work (MC)
- Contract 204 – Electrical Work (EC)
- Contract 205 – Abatement Work (AC)

The aforementioned prime contracts constitute the entirety of the project and include all Work described in the Contract Documents.

PROJECT DESCRIPTION

- Renovations to Canisteo-Greenwood High School First Floor
- Renovations to Canisteo-Greenwood High School Library
- Renovations to Canisteo-Greenwood High School Second Floor Corridor
- HVAC Upgrades at the Canisteo-Greenwood Elementary School

CONTRACT TIME

The date of commencement of the Work shall be THE NOTICE TO PROCEED.

The Contractor shall achieve Substantial Completion of the entire Work not later than the date indicated in the Contract Documents.

PROJECT ADMINISTRATION

Owner: Canisteo-Greenwood Central School District
84 Greenwood Street
Canisteo, New York 14823

Architect/Engineer: LaBella Associates, D.P.C.
300 N. State St., Suite 201
Rochester, New York 14614

Construction Manager: LeChase Construction
11849 E. Corning Rd., Suite 102
Corning, New York 14830

All Inquiries to: Attn: John Pepper
LeChase Construction
11849 E. Corning Rd., Suite 102
Corning, New York 14830
(607) 590-6514
John.pepper@lechase.com

BID DOCUMENTS

Bid documents containing submittal requirements and forms will be available on **Monday March 8, 2021** may be obtained at Dataflow, Inc., 320 North Goodman Street Suite 200, Rochester, New York 14607, Phone: 585-271-5730, and/or Data Flow, 100 Hunt Center, Horseheads, NY 14845, Phone: 607-562-2196 upon receipt of a bid deposit of One Hundred Dollars (\$100.00) for each set of documents requested. Checks shall be made payable to Canisteo-Greenwood Central School District.

Bid documents, if requested, will be mailed to Bidders upon receipt of deposit and reimbursement for the cost of mailing. Mailing fee for one set is \$50.00 for UPS delivery. Check shall be payable to Dataflow, Inc.

For the convenience of prospective Bidders, subcontractors and material suppliers, Bidding Documents will also be on file at the following locations:

1. McGraw Hill Dodge Reports: 320 N. Goodman, Suite 200, Rochester, NY 14607
Amy Ross: Phone 518-480-4671, amy_ross@mcgraw-hill.com To access plans and specs through the McGraw Hill network please go to www.construction.com
2. Builders Exchange of Rochester: 180 Linden Oak, Suite 100, Rochester, NY 14625 Phone 585-586-5460, Fax 585-586-1580
3. Southern Tier Builders Association: 65 East Main Street, Falconer, NY 14733 Phone 716-665-4026, Fax 716-665-6350
4. Associated Building Contractors: 15 Belden St. Binghamton NY 13903, Phone 607-771-7000, Fax 607-771-7001
5. Syracuse Builders Exchange: 65 E. Main St., Falconer, NY 14733, Phone 315-437-9936, Fax 315-437-5044

For viewing purposes only, contractors may go to www.goDataflow.com and click on LaBella Associates, D.P.C. – Canisteo-Greenwood CSD.

Plan Holders List will ONLY be available at the Dodge Reports and Builders Exchange of Rochester. Subcontractors interested in obtaining Plan Holders List shall contact the Dodge Reports directly (phone number above).

PRE-BID MEETING

A pre-bid meeting and site visit will be held on March 12, 2021-at 11:00 a.m. at the Canisteo-Greenwood Central School District High School 84 Greenwood Street, Canisteo, New York 14823. All Bidders are urged to attend so that their Bid is not rejected due to lack of adequate documentation. Any statements made at the pre-bid meeting do not constitute changes in the Contract Documents.

REJECTION AND ACCEPTANCE OF BIDS

The OWNER hereby reserves the right to waive any informality and reject any or all bids or to accept the one that, in its judgment, will be in the best interest of the OWNER.

The Contract 205 – Abatement Work (AC) will be awarded based on Best Value. Best Value will be determined based on Scored Evaluation Matrix. Bid Scored Evaluation Matrix Criterion will be made available to bidders.

BID SECURITY

A Bid Security in the amount of five percent (5%) of the Bid must accompany the bid in accordance with the Instructions to Bidders.

NONCOLLUSIVE BIDDING CERTIFICATE

A non-collusive bidding certificate shall be included on each bid.

PREVAILING WAGE RATES

This is a prevailing wage rate job.

RETURN OF CONTRACT DOCUMENTS

A Bidder, making the deposit required for the Bidding Documents, submitting a Proposal accompanied by a certified check or other security in accordance with the requirements contained in the plans and specifications and public advertisement for bids and if the copy of the plans and specifications used by such Bidder, other than the successful Bidder is returned in good condition within thirty (30) days to **DataFlow** (address above) award of the contract covered by such plans and specifications, or rejection of the Bid, the full amount of such deposit for one copy of the plans and specifications shall be returned to such Bidder, including the successful Bidder. Partial reimbursement, in an amount equal to the full amount of such deposit for one set of plans and specifications per unsuccessful bidder or non-bidder less the actual cost of reproduction of the plans and specifications, shall be made for the return of all other copies of the plans and specifications in good condition within thirty (30) days following the award of the contract or the rejection of the bids covered by such plans and specifications.

END OF SECTION 001100

SECTION 004160 - BID FORM – CONTRACT 205 – ASBESTOS ABATEMENT WORK

1.1 GENERAL

- A. Pursuant to and in compliance with your Invitation to Bidders and the Information to Bidders relative thereto and all of the Contract Documents including any Addenda issued by the Architect and mailed to the undersigned prior to the opening of Bids whether received by the undersigned or not, we

(Name of Company)

hereby propose to furnish all plant, labor, supplies, materials and equipment incidental to **ABATEMENT WORK** as required by and in strict accord with the applicable provisions of the Drawings and Specifications entitled **CANISTEO-GREENWOOD CENTRAL SCHOOL DISTRICT 2018 CAPITAL IMPROVEMETS PROJECT – PHASE 2** all to the satisfaction and approval of the Architect and the Owner in accordance with the terms and conditions of the Contract Documents.

- B. The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner to perform all Work as specified or indicated in the Bidding Documents for the Contract Prices and within the Contract Times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.
- C. The Bid will remain subject to acceptance for 45 days after the Bid opening, except as noted otherwise, or for such longer period of time that Bidder may agree to in writing upon request of Owner. Bidder will sign and submit the agreement with the Bonds and other documents required by the Bidding Requirements within ten (10) days after the date of Owner's Notice of Award
- D. Bidder has familiarized itself with the nature and extent of the Contract Documents, work, site, locality, and all local conditions and all federal, state, and local Laws and Regulations that in any manner may affect cost, progress, performance or furnishing of the work.
- E. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
- F. Bidder has given Architect written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and the written resolution thereof by Architect is acceptable to Bidder.

1.2 TIME OF COMPLETION

The Bidder agrees that after receipt of a Notice to Award and a consummation of an Agreement between the Owner and the Contractor in accordance with the terms of the Contract Documents, he will start work within five (5) calendar days of the date of the Agreement and fully complete the Work in time indicated in the Contract Documents.

1.3 BID SECURITY

Attached hereto is a Bid Security in the amount of five percent (5%) of the Base Bid.

1.4 NON-COLLUSIVE BIDDING STATEMENT

By submission of this bid/proposal, each bidder and each person signing on behalf of any bidder/proposer, certifies, and in case of a joint bid/proposal, each party hereto certifies as to its own organization, under penalty of perjury, that to the best of his/her/their knowledge and belief:

1. The prices in this bid/proposal have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other Bidder/Proposer or with any competitor.
2. Unless otherwise required by law, the prices which have been quoted in this package have not been knowingly disclosed by the Bidder/Proposer prior to the opening, directly or indirectly, to any other bidder/proposer or to any competitor; and
3. No attempt has been made or will be made by the Bidder/Proposer to induce any other person, partnership, or corporation to submit or not to submit a bid/proposal for the purpose of restricting competition.

Name of Bidder/Proposer

Address

By _____
Signature

Title

Date

FEIN

1.5 ADDENDA ACKNOWLEDGEMENT

The undersigned acknowledges the receipt of the following Addenda, but he agrees that he is bound by all Addenda whether or not listed herein:

ADDENDUM NUMBERS AND DATES

Number 1 - dated _____

Number 2 - dated _____

1.6 BASE BID AND ALTERNATE PRICES

The Bidder will complete all the Work in accordance with the Contract Documents for the following price:

CONTRACT NO. 205 – ASBESTOS ABATEMENT WORK

BASE BID AMOUNT \$ _____ (figures)

(Words) _____

Bidders are to verify scope and impact of each alternate. Bidder must fill in alternate amounts for each alternate. If no dollar impact is determined indicate such below. (Note, indicate whether alternate is add or deduct.)

1.7 UNIT COSTS

Not Used.

1.8 METHOD OF AWARD – ASBESTOS ABATMENT WORK - CONTRACT 205

Bid will be awarded based on Best Value, (not necessarily to lowest bidder), Best Value will be decided by the Canisteo-Greenwood CSD using a Best Value Matrix with Criteria as demonstrated below:

1. Price – 30 points maximum weight
2. Experience – 10 points maximum weight
3. Schedule / Duration – 50 points maximum weight

Information to be provided for evaluation and assignment of points per above:

1. Price – Base Bid Amount shall reflect the total amount to complete the asbestos abatement work shown in the bid documents in order to meet the time duration bidder assigns to Criteria #4 “Schedule/Duration”. Price shall include costs for 2nd shift, 3rd shift, and weekend/OT hours to meet duration submitted.
2. Experience – must provide list of projects/clients where bidder has completed similar work in a K-12 Education setting governed by NYS DOL Code Rule 56 with project value over \$100,000. List Supervisor in charge and scope of work completed for each project. Must show experience of at least 3 projects meeting these criteria, but more are encouraged.
3. Schedule / Duration – The District anticipates shorter project durations, by asking for and evaluating project schedules as part of the best value process. In our best value process, the District provides the bidders with the contract completion date. The Department evaluates and scores higher the bidder that submits a schedule which results in shorter completion dates and can

demonstrate that their schedule is realistic through experience and complete project understanding. Must provide a plan for how bidder will complete the work within the allotted construction schedule and coordinate with other contractors on site at the same time. SHOW where areas below can overlap and occur simultaneously, provide start and end dates that conform to Phasing Plans in bid docs. Provide duration of days (in full 24 hr “day” periods) to complete the following scope areas:

A. High School Crawlspace (as shown on sheet HS H-112) –

Set up containment and decon _____

Remove ACM and place concrete while under containment _____

Tear down containment area _____

B. High School 1st Floor – Floor tile and mastic removal AND Gypsum wall removals (as shown on sheet HS H-125, Key Notes A1, A2, A3) –

Set up containment and decon _____

Remove ACM and clean for final airs _____

Tear down containment area _____

C. High School 2nd Floor – All ceiling removals and associated work (as shown on sheet HS H-126) –

Set up containment and decon _____

Remove ACM and clean for final airs _____

Tear down containment area _____

D. High School 3rd Floor – Floor tile and mastic removal (as shown on sheet HS H-125, Key Note A4) –

Set up containment and decon _____

Remove ACM and clean for final airs _____

Tear down containment area _____

SUBMITTED on _____, 20____ If Bidder is an Individual

Name (*typed or printed*) _____

By: _____
(*Individual's Signature*)

Business Address _____

Phone No. _____ FAX No. _____

If Bidder is a Partnership

Partnership Name (*typed or printed*) _____

By: _____
(*Signature of general partner – attach evidence of authority to sign*)

Business Address _____

Phone No. _____ Fax No. _____

If Bidder is a Corporation

Corporation Name (*typed or printed*) _____

State of Incorporation _____

Type (General Business, Professional, Service, Limited Liability) _____

By: _____
(*Signature – attach evidence of authority to sign*)

Name (*typed or printed*) _____

Title _____

Attest _____
(Signature of Corporate Secretary)

Business address _____

Phone No. _____ FAX No. _____

Date of Qualification to do business is _____

CORPORATE SEAL

PLEASE TYPE:

LEGAL NAME OF FIRM: _____


ADDRESS: _____


PHONE NUMBER _____

EMAIL ADDRESS: _____

END OF SECTION 004160


011215A – CGCSD Schedule for Bid





Project: Can-Greenwood CSD CIP Task Split
 Date: Thu 3/25/21

■ Milestone ◆ Project Summary ▬ External Milestone ◆ Inactive Milestone ○ Manual Task ▬ Manual Summary Rollup ▬ Start-only ■ Deadline
●●●●● Summary ▬ External Tasks ▬ Inactive Task ▬ Inactive Summary ▬ Duration-only ▬ Manual Summary ▬ Finish-only ▬ Progress



SECTION 101419 - DIMENSIONAL LETTER SIGNAGE

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

1.2 SUMMARY

- A. Section Includes:
 - 1. Cast dimensional characters.

1.3 ACTION SUBMITTALS

- A. Product Data: For each type of product.
- B. Shop Drawings: For dimensional letter signs.
 - 1. Show sign mounting heights, locations of supplementary supports to be provided by others, and accessories.
 - 2. Show message list, typestyles, graphic elements, and layout for each sign.
- C. Samples for Verification: For each type of sign assembly showing all components and with the required finish(es), in manufacturer's standard size unless otherwise indicated and as follows:
 - 1. Dimensional Characters: Full-size Sample of each type of dimensional character.

1.4 INFORMATIONAL SUBMITTALS

- A. Qualification Data: For Installer and manufacturer.
- B. Sample Warranty: For special warranty.

1.5 CLOSEOUT SUBMITTALS

- A. Maintenance Data: For signs to include in maintenance manuals.

1.6 QUALITY ASSURANCE

- A. Installer Qualifications: An entity that employs installers and supervisors who are trained and approved by manufacturer.

1.7 WARRANTY

- A. Special Warranty: Manufacturer agrees to repair or replace components of signs that fail in materials or workmanship within specified warranty period.
 - 1. Failures include, but are not limited to, the following:
 - a. Deterioration of finishes beyond normal weathering.
 - b. Separation or delamination of sheet materials and components.
 - 2. Warranty Period: Five years from date of Substantial Completion.

PART 2 - PRODUCTS

2.1 DIMENSIONAL CHARACTERS

- A. Basis-of-Design Product: Subject to compliance with requirements, provide **LC Cast Metal Dimensional Letters as manufactured by ASI**, 3680 W. Northwest Highway, Suite 350, Dallas, TX 75220, or equivalent comparable product by one of the following:
 - 1. ID Sign Systems Inc.
 - 2. Mohawk Sign Systems.
 - 3. Signature Signs, Inc.
- B. Cast Characters: Characters with uniform faces, sharp corners, and precisely formed lines and profiles, and as follows:
 - 1. Character Material: Cast aluminum.
 - 2. Character Height: As noted on drawings, size varies.
 - 3. Thickness: Manufacturer's standard for size of character.
 - 4. Finishes:
 - a. Baked-Enamel or Powder-Coat Finish: Manufacturer's standard, in color as selected by Architect from manufacturer's full range.
 - 5. Mounting: Flush Mounted.
 - 6. Typeface: Arial Bold.

2.2 DIMENSIONAL CHARACTER MATERIALS

- A. Aluminum Castings: ASTM B 26/B 26M, alloy and temper recommended by sign manufacturer for casting process used and for type of use and finish indicated.

2.3 ACCESSORIES

- A. Fasteners and Anchors: Manufacturer's standard as required for secure anchorage of signage, noncorrosive and compatible with each material joined, and complying with the following:

1. Use concealed fasteners and anchors unless indicated to be exposed.
- B. Adhesive: As recommended by sign manufacturer.

2.4 FABRICATION

- A. General: Provide manufacturer's standard sign assemblies according to requirements indicated.
 1. Preassemble signs and assemblies in the shop to greatest extent possible. Disassemble signs and assemblies only as necessary for shipping and handling limitations. Clearly mark units for reassembly and installation; apply markings in locations concealed from view after final assembly.
 2. Mill joints to a tight, hairline fit. Form assemblies and joints exposed to weather to resist water penetration and retention.
 3. Comply with AWS for recommended practices in welding and brazing. Provide welds and brazes behind finished surfaces without distorting or discoloring exposed side. Clean exposed welded and brazed connections of flux, and dress exposed and contact surfaces.
 4. Conceal connections if possible; otherwise locate where they are inconspicuous.
 5. Internally brace signs for stability and for securing fasteners.
 6. Provide rebates, lugs, and brackets necessary to assemble components and to attach to existing work. Drill and tap for required fasteners. Use concealed fasteners where possible; use exposed fasteners that match sign finish.
 7. Castings: Fabricate castings free of warp, cracks, pits, scale, sand holes, and other defects that impair appearance or strength. Grind, wire brush, sandblast, and buff castings to remove seams, gate marks, casting flash, and other casting marks before finishing.

2.5 GENERAL FINISH REQUIREMENTS

- A. Protect mechanical finishes on exposed surfaces from damage by applying a strippable, temporary protective covering before shipping.
- B. Appearance of Finished Work: Noticeable variations in same piece are not acceptable. Variations in appearance of adjoining components are acceptable if they are within the range of approved Samples and are assembled or installed to minimize contrast.
- C. Directional Finishes: Run grain with long dimension of each piece and perpendicular to long dimension of finished trim or border surface unless otherwise indicated.
- D. Organic, Anodic, and Chemically Produced Finishes: Apply to formed metal after fabrication but before applying contrasting polished finishes on raised features unless otherwise indicated.

2.6 ALUMINUM FINISHES

- A. Baked-Enamel or Powder-Coat Finish: AAMA 2603 except with a minimum dry film thickness of 1.5 mils (0.04 mm). Comply with coating manufacturer's written instructions for cleaning, conversion coating, and applying and baking finish.

2.7 EXAMINATION

- A. Examine substrates, and conditions, with Installer present, for compliance with requirements for installation tolerances and other conditions affecting performance of signage work.
- B. Verify that sign-support surfaces are within tolerances to accommodate signs without gaps or irregularities between backs of signs and support surfaces unless otherwise indicated.
- C. Proceed with installation only after unsatisfactory conditions have been corrected.

2.8 INSTALLATION

- A. General: Install signs using mounting methods indicated and according to manufacturer's written instructions.
 - 1. Install signs level, plumb, true to line, and at locations and heights indicated, with sign surfaces free of distortion and other defects in appearance.
 - 2. Before installation, verify that sign surfaces are clean and free of materials or debris that would impair installation.
- B. Mounting Methods:
 - 1. Adhesive: Clean bond-breaking materials from substrate surface and remove loose debris. Apply linear beads or spots of adhesive symmetrically to back of sign and of suitable quantity to support weight of sign after cure without slippage. Keep adhesive away from edges to prevent adhesive extrusion. Place sign in position, and push to engage adhesive. Temporarily support sign in position until adhesive fully sets.


2.9 ADJUSTING AND CLEANING

- A. Remove and replace damaged or deformed characters and signs that do not comply with specified requirements. Replace characters with damaged or deteriorated finishes or components that cannot be successfully repaired by finish touchup or minor repair procedures.
- B. Remove temporary protective coverings and strippable films as signs are installed.
- C. On completion of installation, clean exposed surfaces of signs according to manufacturer's written instructions, and touch up minor nicks and abrasions in finish. Maintain signs in a clean condition during construction and protect from damage until acceptance by Owner.


END OF SECTION 101419

SIGNS


(NOT ALL SIGN TYPES MAY BE USED IN EACH BUILDING)




1A UNISEX ACCESSIBLE TOILET ROOM SIGN
3" = 1'-0"




1B UNISEX ACCESSIBLE SHOWER SIGN
3" = 1'-0"



2A ROOM NO. SIGN
3" = 1'-0"



2B ROOM NAME SIGN
3" = 1'-0"



2C ROOM NAME SIGN (2 LINE)
3" = 1'-0"

3/25/2021 5:51:49 PM C:\Users\dlewis\Documents\Revit Local Files\2181574 - Canistota-Greenwood HS - Main Office - R19_DLewis.rvt

LaBella
Powered by partnership.


300 State Street, Suite 201
Rochester, NY 14614
585-454-6110
labellapc.com

<small>It is a violation of New York Education Law Article 145 Sec.7209, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered, the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.</small>			ISSUED FOR:		
DRAWING TITLE:			ADDENDUM NO. 2		
PROJECT NAME:			DRAWN BY:	DATE:	PROJECT NUMBER:
2018 Capital Improvement 84 Greenwood Street Canistota, NY 14823			DML	3/25/2021	2181574
			SHEET NUMBER:		
			SKA-04		

INTERIOR SIGNAGE SCHEDULE

ID	SIGN TYPE	SIGN LOCATION	SIGN MESSAGE
1	2C	EXAM ROOM 100D, CORRIDOR DOOR	TBD
2	2C	EXAM ROOM 100D	TBD
3	1B	ADA SHOWER 100C	ACCESSIBLE SHOWER
4	1A	ADA TOILET 100B	RESTROOM
5	2C	STORAGE 100A	STORAGE
6	2C	NURSE'S OFFICE 100	NURSE'S OFFICE
7	2C	WAITING AREA 101, VESTIBULE DOOR	MAIN OFFICE
8	2C	WAITING AREA 101, CORRIDOR DOOR	MAIN OFFICE
9	2C	STORAGE 101A1	STORAGE
10	2B	PRINCIPAL'S OFFICE 103	TBD
11	1A	TOILET 102	RESTROOM
12	1A	TOILET 104	RESTROOM
13	2B	OFFICE 105	TBD
14	2C	COPY ROOM 106	COPY ROOM
15	2B	OFFICE 107	TBD
16	2B	OFFICE 109	TBD
17	2B	SMALL CONFERENCE 111	TBD
18	2B	OFFICE 110	TBD
19	2C	VAULT 108	VAULT
20	2C	OPEN OFFICE 101B, CORRIDOR DOOR	TBD
21	2A	MAIN OFFICE 112, OPEN OFFICE 101B DOOR	-
22	2A	OPEN OFFICE 101B, MAIN OFFICE 112 DOOR	-

ID	SIGN TYPE	SIGN LOCATION	SIGN MESSAGE
23	2C	LIBRARY STUDY 300	LIBRARY
24	2C	WORK 303	TBD
25	2C	OFFICE 303A	TBD
26	2C	LIBRARY STACKS 302	TBD
27	2C	RESOURCE/COMPUTER LAB 305	TBD



LaBella
Powered by partnership.

300 State Street, Suite 201
Rochester, NY 14614
585-454-6110
labellapc.com

<small>It is a violation of New York Education Law Article 145 Sec.7209, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered, the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.</small>		ISSUED FOR:	
DRAWING TITLE:		ADDENDUM NO. 2	
PROJECT NAME:		DRAWN BY:	PROJECT NUMBER:
2018 Capital Improvement 84 Greenwood Street Canisteo, NY14823		DML	2181574
		DATE:	SHEET NUMBER:
		3/25/2021	SKA-05

3/25/2021 5:51:50 PM
 C:\Users\dlewis\Documents\Revit Local Files\2181574 - Canisteo-Greenwood HS - Main Office - R19\DLewis.rvt