



Addendum

Lansing Central School District
Lansing, New York

SED NO. 61-08-01-04-0-004-021
61-08-01-04-0-001-020
61-08-01-04-0-003-017
61-08-01-04-7-014-001

Additions and Alterations at
Lansing Senior High School

Reconstruction at
Lansing Elementary School
Lansing Middle School

New Shade Structure

Tt Project No. 08096-16001

Bid Addendum No. 3
to
Drawings and Project Manual

April 10, 2018

To: ALL BIDDERS

This ADDENDUM forms a part of the BIDDING AND CONTRACT DOCUMENTS and modifies the following documents:
Original DRAWINGS dated June 23, 2017.
PROJECT MANUAL dated June 23, 2017, BID ADDENDUM NO. 1, dated March 23, 2018 and BID ADDENDUM NO. 2, dated April 5, 2018.

Acknowledge receipt of the ADDENDUM in the space provided on the FORM OF PROPOSAL

This ADDENDUM consists of (2) pages and the following:

PROJECT MANUAL MODIFICATIONS

ITEM 3-C-1: Refer to SECTION 06 15 16 – WOOD ROOF DECKING

1. Paragraph 2.2, A., AMEND to read as follows:

“A. Face Species: Southern Pine”.

2. Part 2, ADD the following:

“2.6 FIELD FINISHING

A. Clear Finish: manufacturer’s standard, two-coat, clear varnish finish; resistant to mildew and fungus.”

ITEM 3-C-2: Refer to SECTION 06 18 00 – GLUED LAMINATED CONSTRUCTION

1. Paragraph 1.4, C., 1., AMEND to read as follows:

“1. Apply specified field finish to three sides of half length of each Sample.”

2. Paragraph 2.2, B., AMEND to read as follows:

“B. Species and Grades for Structural Glued-Laminated Timber Bents: Southern Pine in grades needed to comply with “Performance Requirements” Article”.

3. Paragraph 2.2, C., 1., AMEND to read as follows:

“1. Species and Beam Stress Classification: Southern Pine, 24F-1.8E.”

4. Paragraph 2.7 title, AMEND to read as follows:

“2.7 FIELD FINISHING”.

END OF ADDENDUM